

Revision date 27-Oct-2025

Revision Number 4

## 1. Identification

### Product identifier

**Product Name** METAL FREE

### Other means of identification

**Product Code(s)** 652718

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Lubricant and sealant used for threaded connections

**Restrictions on use** Do not use on oxygen lines or in oxygen enriched atmospheres.

### Details of the supplier of the safety data sheet

#### Supplier Address

Bestolife Corporation  
2126 Vanco Drive  
Irving TX 75061  
855-243-9164/972-865-8961  
Telefax 214-631-3047  
www.bestolife.com

#### Manufacturer Address

Bestolife Corporation  
2126 Vanco Drive  
Irving TX 75061  
855-243-9164/972-865-8961  
Telefax 214-631-3047  
www.bestolife.com

### Emergency telephone number

**Emergency Telephone** CHEMTREC U.S.: 800-424-9300, International +1 703-527-3887 (24-hours/7 days)

## 2. Hazard(s) identification

### Classification

Serious eye damage/eye irritation

Category 2A

**Appearance** Viscous semi-solid

**Physical state** Solid

**Odor** Petroleum

### Label elements

#### **Warning**

#### **Hazard statements**

Causes serious eye irritation



**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves, protective clothing, eye protection and face protection

Wash face, hands and any exposed skin thoroughly after handling

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice and attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

**Other information**

May be harmful if swallowed. May be harmful in contact with skin.

**3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 30 - < 50	-	-
Graphite	7782-42-5	>= 20 - < 30	-	-
Talc	14807-96-6	>= 10 - < 20	-	-
Dolomite	16389-88-1	>= 1 - < 5	-	-
Quartz	14808-60-7	>= 1 - < 5	-	-
Calcium oxide	1305-78-8	>= 1 - < 5	-	-
12-Hydroxy lithium stearate	7620-77-1	>= 1 - < 5	-	-
Calcium bis(dinonylnaphthalenesulphonate)	1474044-79-5	>= 0 - < 1.0	-	-
Antimony, dialkyl dithiocarbamate	15890-25-2	>= 0 - < 1.0	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**Additional information**

NOTE: As per Note L, the carcinogen classification does NOT apply to this preparation because the producer of "Petroleum distillates, hydrotreated heavy naphthenic" declares that it contains less than 3% DMSO extractable material by IP-346

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard

**4. First-aid measures****Description of first aid measures****General advice**

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

	doctor in attendance.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

#### **Most important symptoms and effects, both acute and delayed**

**Symptoms** May cause redness and tearing of the eyes. Burning sensation.

#### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### **5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Dry chemical, CO2, water spray or alcohol-resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous combustion products</b>	Carbon oxides. Fluorine compounds. Metal oxides.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **6. Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

#### **Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Store in accordance with the particular national regulations.

## 8. Exposure controls/personal protection

### Control Parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter excluding metal working fluids, highly & severely refined Exposure by all routes should be carefully controlled to levels as low as possible	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup> respirable particulate matter all forms except graphite fibers	TWA: 15 mg/m <sup>3</sup> total dust synthetic TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf natural	IDLH: 1250 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup> natural respirable dust
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup> respirable particulate matter particulate matter containing no Asbestos and <1% Crystalline silica	TWA: 20 mppcf if 1% Quartz or more, use Quartz limit (vacated) TWA: 2 mg/m <sup>3</sup> respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	IDLH: 1000 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> containing no Asbestos and <1% Quartz respirable dust
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Calcium oxide 1305-78-8	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup> not	IDLH: 25 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>

		in effect as a result of reconsideration		
Antimony, dialkyl dithiocarbamate 15890-25-2	TWA: 0.5 mg/m <sup>3</sup> Sb	TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 0.5 mg/m <sup>3</sup> Sb		IDLH: 50 mg/m <sup>3</sup> Sb TWA: 0.5 mg/m <sup>3</sup> Sb
<b>Chemical name</b>	<b>Alberta</b>	<b>British Columbia</b>	<b>Ontario</b>	<b>Quebec</b>
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA:	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Calcium oxide 1305-78-8	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Antimony, dialkyl dithiocarbamate 15890-25-2	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

**Other information**

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard

**Appropriate engineering controls****Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Hand protection**

PPE16 - Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training; Nitrile or neoprene preferred. Wear suitable gloves.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
n/a	Wear protective nitrile rubber gloves	0.50 - 0.70 mm	> 60 minutes
n/a	Wear protective Neoprene™ gloves	0.50 - 0.70 mm	> 60 minutes

**Skin and body protection**

Wear suitable protective clothing.

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Viscous semi-solid
Physical state	Solid
Color	black, copper
Odor (includes odor threshold)	Petroleum

Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Boiling point (or initial boiling point or boiling range)	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	>= 200 °C / 392 °F	Method ASTM D 92, Cleveland open cup Distillates (petroleum), hydrotreated heavy naphthenic
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity		None known
Solubility		None known
Water solubility	Negligible	None known
Partition coefficient n-octanol/water (log value)		None known
Vapor pressure (includes evaporation rate)		None known
Evaporation rate		None known
Density and/or relative density	1.2	None known
Bulk density		
Liquid Density		
Relative vapor density	No data available	None known
Particle characteristics		No information available
Particle Size		
Particle Size Distribution		

### Other information

## 10. Stability and reactivity

Reactivity	Not classified as a reactivity hazard.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Can react with strong oxidizing agents.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. May be harmful in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation.
<b>Acute toxicity</b>	No information available.

**Numerical measures of toxicity**

The following ATE values have been calculated for the mixture

ATEmix (oral)	3,168.50 mg/kg
ATEmix (dermal)	4,188.10 mg/kg

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated heavy naphthenic CAS: 64742-52-5 ID: C64742525 >= 30 - < 50 %	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Graphite CAS: 7782-42-5 ID: C7782425 >= 20 - < 30 %	-	-	> 2000 mg/m <sup>3</sup> ( Rat ) 4 h
Calcium oxide CAS: 1305-78-8 ID: C1305788 >= 1 - < 5 %	= 500 mg/kg ( Rat )	-	> 6.04 mg/L ( Rat ) 4 h
12-Hydroxy lithium stearate CAS: 7620-77-1 ID: C7620771 >= 1 - < 5 %	-	> 3000 mg/kg ( Rabbit )	-
Antimony, dialkyl dithiocarbamate CAS: 15890-25-2 ID: C15890252 >= 0 - < 1.0 %	> 16400 mg/kg ( Rat )	> 16000 mg/kg ( Rabbit )	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity**

NOTE: As per Note L, the carcinogen classification does NOT apply to this preparation because the producer of "Petroleum distillates, hydrotreated heavy naphthenic" declares that it contains less than 3% DMSO extractable material by IP-346

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Distillates (petroleum), hydrotreated heavy naphthenic CAS: 64742-52-5 ID: C64742525 >= 30 - < 50 %	A2	Group 1	Known	X
Talc CAS: 14807-96-6 ID: C14807966 >= 10 - < 20 %	-	Group 3	-	X
Quartz CAS: 14808-60-7 ID: C14808607 >= 1 - < 5 %	A2	Group 1	Known	X

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. Ecological information

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Graphite 7782-42-5	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Talc 14807-96-6	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-
Calcium oxide 1305-78-8	-	LC50: =1070mg/L (96h, Cyprinus carpio)	-	-

**Persistence and degradability**

**Bioaccumulative potential** There is no data for this product.

Chemical name	Partition coefficient
Calcium bis(dinonylnaphthalenesulphonate) 1474044-79-5	6.6

**Mobility in soil**

**Other adverse effects** No information available.

**13. Disposal considerations****Disposal methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**California waste information** This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. Transport information**

**DOT** Not regulated

**TDG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**International Inventories**

**TSCA** All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Distillates (petroleum), hydrotreated	64742-52-5	Present	Active

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
heavy naphthenic			
Graphite	7782-42-5	Present	Active
Talc	14807-96-6	Present	Active
Polytetrafluoroethylene	9002-84-0	Present	Active
Dolomite	16389-88-1	Present	Active
Quartz	14808-60-7	Present	Active
Calcium oxide	1305-78-8	Present	Active
12-Hydroxy lithium stearate	7620-77-1	Present	Active
Calcium bis(dinonylnaphthalenesulphonate)	1474044-79-5	-	Unknown *
Ethenylbenzene polymer with 2-methyl-1,3-butadiene, hydrogenated	68648-89-5	Present	Active
Calcium petroleum sulfonates	61789-86-4	Present	Active
Antimony, dialkyl dithiocarbamate	15890-25-2	Present	Active
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	Present	Active
Magnesium oxide	1309-48-4	Present	Active
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	Present	Active
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	Present	Active
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Present	Active
Polyisobutylene	9003-27-4	Present	Active
Polybutene	9003-29-6	Present	Active

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

<b>DSL/NDSL</b>	All components of this product are on the Canadian DSL.
<b>EINECS/ELINCS</b>	All components are listed or exempted.
<b>ENCS</b>	All components are listed or exempted.
<b>IECSC</b>	All components are listed or exempted.
<b>KECL</b>	All components are listed or exempted.
<b>PICCS</b>	All components are listed or exempted.
<b>AIIC</b>	All components are listed on AICIS, or are exempt.
<b>NZIoC</b>	All components are listed or exempted.
<b>TCSI</b>	All components are listed or exempted.

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AIIC** - Australian Inventory of Industrial Chemicals
- NZIoC** - New Zealand Inventory of Chemicals
- TCSI** - Taiwan Chemical Substance Inventory

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CAA (Clean Air Act)**

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Quartz CAS: 14808-60-7 ID: C14808607 >= 1 - < 5 %	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy naphthenic CAS: 64742-52-5 ID: C64742525 >= 30 - < 50 %	X	X	X
Graphite CAS: 7782-42-5 ID: C7782425 >= 20 - < 30 %	X	X	X
Talc CAS: 14807-96-6 ID: C14807966 >= 10 - < 20 %	X	X	X
Polytetrafluoroethylene CAS: 9002-84-0 ID: C9002840 >= 1 - < 5 %	-	-	X
Quartz CAS: 14808-60-7 ID: C14808607 >= 1 - < 5 %	X	X	X
Calcium oxide CAS: 1305-78-8 ID: C1305788 >= 1 - < 5 %	X	X	X
Antimony, dialkyl dithiocarbamate CAS: 15890-25-2 ID: C15890252 >= 0.1 - < 1 %	X	-	X
Magnesium oxide	X	X	X

CAS: 1309-48-4 ID: C1309484 >= 0.01 - < 0.1 %			
Distillates (petroleum), hydrotreated heavy paraffinic CAS: 64742-54-7 ID: C64742547 >= 0.01 - < 0.1 %	X	X	X
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS: 64742-65-0 ID: C64742650 >= 0.01 - < 0.1 %	X	X	X
Distillates (petroleum), solvent-refined light paraffinic CAS: 64741-89-5 ID: C64741895 >= 0.01 - < 0.1 %	-	X	-

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. Other information**

**NFPA** Health hazards 2 Flammability 1 Instability 0 Special hazards -  
**HMIS** Health hazards 2\* Flammability 1 Physical hazards 0 Personal protection X  
 Chronic Hazard Star Legend \* = Chronic Health Hazard

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value Sk\* Skin designation

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

Revision date 27-Oct-2025

**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**