

SAFETY DATA SHEET

1. Identification

Product identifier	Chute Lube®
Other means of identification	
Product Code	No. 03223 (Item# 1003467)
Recommended use	Lubricant for package handling chutes
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical Assistance	800-521-3168
Customer Service	800-272-4620
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)
Website	www.crcindustries.com

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Flammable liquid and vapor. May be fatal if swallowed and enters airways. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wear protective gloves/eye protection/face protection. Avoid release to the environment.
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Fire-fighting

equipment/instructions

6. Accidental release measures

General fire hazards

Personal precautions,

emergency procedures

protective equipment and

Chemical name	Common name and synonyms	CAS number	%
naphtha (petroleum), hydrotreated heavy		64742-48-9	90 - 100
distillates (petroleum), hydrotreated light		64742-47-8	3 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.	
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.	
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate

protective equipment and clothing during clean-up. Do not touch damaged containers or spilled

material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal

so without risk. Use standard firefighting procedures and consider the hazards of other involved

Material name: Chute Lube® No. 03223 (Item# 1003467) Version #: 01 Issue date: 10-30-2018

materials.

Flammable liquid and vapor.

protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label.	
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	100 mg/m3	
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Appropriate engineering controls	changes per hour) should be used. applicable, use process enclosures	exhaust ventilation. Good general ventilation (typically 10 air Ventilation rates should be matched to conditions. If , local exhaust ventilation, or other engineering controls to mmended exposure limits. If exposure limits have not been ls to an acceptable level.	
Individual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear safety glasses with side shiel	Wear safety glasses with side shields (or goggles).	
Skin protection			
Hand protection	Wear protective gloves such as: Po	lyvinyl chloride (PVC). Nitrile. Viton rubber (fluor rubber).	
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.	
General hygiene considerations		observe good personal hygiene measures, such as washing ore eating, drinking, and/or smoking. Routinely wash work o remove contaminants.	

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Light yellow.
Odor	Solvent.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-76 °F (-60 °C) estimated
Initial boiling point and boiling range	298 °F (147.8 °C) estimated
Flash point	113 °F (45 °C) Tag Closed Cup
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	0.6 % estimated
Flammability limit - upper (%)	5.6 % estimated
Vapor pressure	1.5 hPa estimated
Vapor density	> 1 (Air = 1)
Relative density	0.75
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	315 °F (157.2 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	95.2 % estimated

10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions. No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis.
Information on toxicological ef	fects

cute toxicity	May be fatal if swallowed and enters airways.
---------------	---

Components	Species	Test Results
distillates (petroleum), hydrotreate	ed light (CAS 64742-47-8)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation	D.4	
LC50	Rat	> 20 mg/l, 4 hours
Oral	Det	
LD50	Rat	> 5000 mg/kg
aphtha (petroleum), hydrotreated	1 neavy (CAS 64742-48-9)	
<u>Acute</u> Dermal		
LD50	Rabbit	> 3160 mg/kg
Oral	Rassic	
LD50	Rat	> 10000 mg/kg
kin corrosion/irritation	Prolonged skin contact may cause temp	
Serious eye damage/eye	Direct contact with eyes may cause tem	-
rritation	Direct contact with cycs may cause temporary initiation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
	ed Substances (29 CFR 1910.1001-1052)	
Not regulated.	ogram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	This product is not expected to cause re	productive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters air	ways.
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological informatio	n	
Ecotoxicity	Toxic to aquatic life with long lasting effe	ects.
Product	Species	Test Results
Chute Lube®	-	
Aquatic		
Fish	LC50 Fish	536.7856 mg/l, 96 hours estimated

Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data availa	able.	
Mobility in soil	No data availa	able.	
Other adverse effects	The product c potential.	contains volatile organic compounds which	have a photochemical ozone creation

13. Disposal consideration	 IS	
Disposal instructions	If discarded, this product is considered a RCRA ignitable waste, D001. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national regulations.	
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.	
14. Transport information		
DOT		
Road		
Not regulated as dangerous go	ods by ground.	
DOT		
Air		
UN number	UN1268	
UN proper shipping name	Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	
Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
Label(s)	3	
Packing group	III Read safety instructions, SDS and emergency procedures before handling.	
Special previsions	144, B1, IB3, T4, TP1, TP29	
Packaging exceptions	150	
Packaging non bulk	203	
Packaging bulk	242	
DOT		
Maritime		
UN number	UN1268	
UN proper shipping name Transport hazard class(es)	Petroleum distillates, n.o.s. or Petroleum products, n.o.s.	
Class	3	
Subsidiary risk	-	
Label(s)	3	
Packing group		
· ·	Read safety instructions, SDS and emergency procedures before handling.	
Special provisions Packaging exceptions	144, B1, IB3, T4, TP1, TP29 150	
Packaging non bulk	203	
Packaging bulk	242	
IATA		
UN number	UN1268	
UN proper shipping name Transport hazard class(es)	Petroleum products, n.o.s.	
Class	3	
Subsidiary risk	-	
Packing group		
ERG Code	3L Bead active instructions, ODO and an annual second and before here this.	
Other information	Read safety instructions, SDS and emergency procedures before handling.	
Passenger and cargo aircraft	Allowed with restrictions.	
Cargo aircraft only	Allowed with restrictions.	
IMDG		
UN number UN proper shipping name	UN1268 PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S., MARINE POLLUTANT	

Transport hazard class(es	5)
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-E
Special precautions for us	ser Read safety instructions, SDS and emergency procedures before handling.

DOT Air; DOT Maritime



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

CERCLA Hazardous Substances: Reportable quantity

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) Food and Drug Not regulated. Administration (FDA) Superfund Amendments and Reauthorization Act of 1986 (SARA) **Classified hazard** Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) categories Aspiration hazard SARA 302 Extremely hazardous substance Not listed. SARA 313 (TRI reporting) Not regulated.

US state regulations

EPA

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Massachusetts RTK - Substance List

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

distillates (petroleum), hydrotreated light (CAS 64742-47-8) naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

US. Rhode Island RTK

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated light (CAS 64742-47-8) naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Volatile organic compounds (VOC) regulations

VOC content (40 CFR 51.100(s))	95.2 %	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	Not regulated	
VOC content (CA)	90.4 %	
VOC content (OTC)	90.4 %	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Country(s) or region	Inventory name On inv	entory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the governing con- e components of the product are not listed or exempt from listing on the inventory administered	

16. Other information, including date of preparation or last revision

Issue date	10-30-2018
Prepared by	Allison Yoon
Version #	01
Further information	CRC # 472A/1002467
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc