

# SAFETY DATA SHEET

PAVESTONE, LLC

## 1. Identification

### Product identifier

**ALL PRO PLUS**

### Other means of identification

None.

### Recommended use

Athletic Field Marker

### Recommended restrictions

None known.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

##### Company name

JM Huber Corporation

##### Address

3100 Cumberland Blvd. Suite 600  
Atlanta, GA 30339 USA

##### Telephone

678-247-7300

##### Website

www.hubermaterials.com

##### E-mail

cheryl.vandnoe@cpkeico.com

##### Emergency Contact

CHEMTREC

##### Emergency phone number

1-800-424-9300 or International +1-703-527-3887

## 2. Hazard(s) identification

### Physical hazards

Not classified.

### Health hazards

Carcinogenicity

Category 1A

Specific target organ toxicity, repeated  
exposure (inhalation)

Category 2 (lung)

### OSHA defined hazards

Not classified.

### Label elements



### Signal word

Danger

### Hazard statement

May cause cancer. May cause damage to organs (lung) through prolonged or repeated exposure by inhalation.

### Precautionary statement

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

If exposed or concerned: Get medical advice/attention.

#### Storage

Store locked up.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazard(s) not otherwise classified (HNOC)

Not classified.

### Supplemental information

Not applicable.

## 3. Composition/information on ingredients

### Substances

#### Chemical name

#### CAS number

Limestone

1317-65-3

### Hazardous Components

#### CAS number

#### %

#### 4. First-aid measures

|                                                                        |                                                                                                                                                                         |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation                                                             | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.               |
| Skin contact                                                           | Wash off with soap and water. Get medical attention if irritation develops and persists.                                                                                |
| Eye contact                                                            | Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.                                                                           |
| Ingestion                                                              | Rinse mouth. Get medical attention if symptoms occur.                                                                                                                   |
| Most important symptoms/effects, acute and delayed                     | Irritant effects. Coughing. Discomfort in the chest. Shortness of breath.                                                                                               |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.                                                  |
| General information                                                    | If exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

#### 5. Fire-fighting measures

|                                                               |                                                                                               |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| Suitable extinguishing media                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                      |
| Unsuitable extinguishing media                                | None known.                                                                                   |
| Specific hazards arising from the chemical                    | None known.                                                                                   |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions                          | In case of fire and/or explosion do not breathe fumes.                                        |

#### 6. Accidental release measures

|                                                                     |                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid generation and spreading of dust. Ensure adequate ventilation.                                                                                                                                                                            |
| Methods and materials for containment and cleaning up               | Large Spills: If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal.<br><br>Small Spills: Collect dust using a vacuum cleaner equipped with HEPA filter. For waste disposal, see section 13 of the MSDS. |
| Environmental precautions                                           | Avoid discharge into drains, water courses or onto the ground.                                                                                                                                                                                                                                                                                       |

#### 7. Handling and storage

|                                                              |                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS).                                                                                                               |

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

##### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                | Type | Value                                       | Form                                |
|---------------------------|------|---------------------------------------------|-------------------------------------|
| Limestone (CAS 1317-65-3) | PEL  | 5 mg/m <sup>3</sup><br>15 mg/m <sup>3</sup> | Respirable fraction.<br>Total dust. |

##### US. OSHA Table Z-3 (29 CFR 1910.1000)

| Impurities                          | Type | Value                                                                      | Form                                      |
|-------------------------------------|------|----------------------------------------------------------------------------|-------------------------------------------|
| Crystalline silica (CAS 14808-60-7) | TWA  | 0.3 mg/m <sup>3</sup><br>0.1 mg/m <sup>3</sup><br>2.4 millions of particle | Total dust.<br>Respirable.<br>Respirable. |

##### US. ACGIH Threshold Limit Values

| Impurities                          | Type | Value                   | Form                 |
|-------------------------------------|------|-------------------------|----------------------|
| Crystalline silica (CAS 14808-60-7) | TWA  | 0.025 mg/m <sup>3</sup> | Respirable fraction. |

| Components                          | Type | Value      | Form             |
|-------------------------------------|------|------------|------------------|
| Limestone (CAS 1317-65-3)           | TWA  | 5 mg/m3    | Respirable.      |
|                                     |      | 10 mg/m3   | Total            |
| Impurities                          | Type | Value      | Form             |
| Crystalline silica (CAS 14808-60-7) | TWA  | 0.05 mg/m3 | Respirable dust. |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields. Wear a full-face respirator, if needed.

**Skin protection**

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

**Other** Wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

**Physical state** Solid.

**Form** Powder.

**Color** White.

**Odor** Odorless.

**Odor threshold** Not applicable.

**pH** 8.4 - 10.2 (5% suspension in water)

**Melting point/freezing point** Not applicable.

**Initial boiling point and boiling range** Not applicable.

**Flash point** Not applicable.

**Evaporation rate** Not applicable.

**Flammability (solid, gas)** Not applicable.

### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not applicable.

**Flammability limit - lower (%) temperature** Not applicable.

**Flammability limit - upper (%)** Not applicable.

**Flammability limit - upper (%) temperature** Not applicable.

**Explosive limit - lower (%)** Not applicable.

**Explosive limit - upper (%)** Not applicable.

**Vapor pressure** Not applicable.

**Vapor density** Not applicable.

**Relative density** 2.7 g/cm<sup>3</sup>

**Relative density temperature** 68 °F (20 °C)

**Water Solubility** 1.3 g/l (20°C)

Partition coefficient  
(n-octanol/water)  
Not applicable.

Auto-ignition temperature Not applicable.

Decomposition temperature 1292 - 1652 °F (700 - 900 °C)

Viscosity Not applicable.

#### Other information

Heat of combustion (NFPA  
30B) 0 kJ/g

VOC (Weight %) Not applicable.

## 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Contact with incompatible materials.

**Incompatible materials** Strong acids.

**Hazardous decomposition products** No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

**Ingestion** Expected to be a low ingestion hazard.

**Inhalation** Dust may irritate respiratory system. Prolonged inhalation may be harmful.

**Skin contact** Dust or powder may irritate the skin.

**Eye contact** Dust may irritate the eyes.

**Symptoms related to the physical, chemical and toxicological characteristics** Irritant effects. Coughing. Discomfort in the chest. Shortness of breath.

### Information on toxicological effects

**Acute toxicity** Occupational exposure to the substance or mixture may cause adverse effects.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** May cause cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Crystalline silica (CAS 14808-60-7) 1 Carcinogenic to humans.

### US. National Toxicology Program (NTP) Report on Carcinogens

Crystalline silica (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** May cause damage to organs (lung) through prolonged or repeated exposure by inhalation.

**Aspiration hazard** Not likely, due to the form of the product.

**Chronic effects** Crystalline silica: Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease.

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

**Persistence and degradability** Not readily degradable.

**Bioaccumulative potential** None.

**Other adverse effects**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations****Disposal instructions**

Dispose of in accordance with local regulations.

**Local disposal regulations**

Dispose in accordance with all applicable regulations.

**Hazardous waste code**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. Transport information****DOT**

Not regulated as a hazardous material by DOT.

**IATA**

Not regulated as a dangerous good.

**IMDG**

Not regulated as a dangerous good.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**15. Regulatory information****US federal regulations**

**US OSHA:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

**TSCA Section 12(b):** All components in this products are either listed on TSCA or exempt.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):** Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4):** Not listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not listed.

**SARA 304 Emergency release notification:** Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** Yes

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations****US. Massachusetts RTK - Substance List**

Crystalline silica (CAS 14808-60-7)  
Limestone (CAS 1317-65-3)

**US. New Jersey Worker and Community Right-to-Know Act**

Not regulated.

**US. Pennsylvania RTK - Hazardous Substances**

Crystalline silica (CAS 14808-60-7)

Limestone (CAS 1317-65-3)

**US. Rhode Island RTK**

Not regulated.

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Crystalline silica (CAS 14808-60-7)

Listed: October 1, 1988

**16. Other information, including date of preparation or last revision**

**Issue date** 06-01-2015

**Revision date** -

**Version #** 1.2

**Revision Information** HazReg Data: North America  
GHS: Classification

**Further Information** Not available.

**References** ACGIH  
IARC Monographs. Overall Evaluation of Carcinogenicity  
US. IARC Monographs on Occupational Exposures to Chemical Agents  
National Toxicology Program (NTP) Report on Carcinogens  
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.