

SAFETY DATA SHEET

1. Identification

Product identifier	Citrus Degreaser - 1 gal
Other means of identification	
Product Code	No. 14172 (Item# 1004865)
Recommended use	General purpose degreaser
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
	Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical Assistance	800-521-3168
Customer Service	800-272-4620
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)
Website	www.crcindustries.com

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	
Label elements		



Danger

Signal word Hazard statement

Flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. In case of fire: Do not use water jet as an extinguisher, as this will spread the fire. Collect spillage.
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
d-limonene		5989-27-5	60 - 70
distillates (petroleum), hydrotreated light		64742-47-8	10 - 20
naphtha (petroleum), hydrotreated heavy		64742-48-9	10 - 20
turpentine		9005-90-7	< 12
beta-myrcene		123-35-3	< 0.4

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISO CENTER or doctor/physician if you feel unwell.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.	
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.	
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
5. Fire-fighting measures		
	Weter for Alaskal resident form Dry chamicals Contan disvide (CO2) Dry chamical resuder	

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved.
General fire hazards	Flammable liquid and vapor.
6. Accidental release mea	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water. This material is classified as a water pollutant

sewage and drainage systems which lead to waterways.

containers. For waste disposal, see section 13 of the SDS.

remove residual contamination.

contamination.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Never return spills to original containers for re-use. Put material in suitable, covered, labeled

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental

equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

7. Handling and storage

Environmental precautions

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with eves, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, see the product label. Keep away from heat and sources of ignition. Avoid spark promoters. Store in a cool, dry place out Conditions for safe storage, of direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep in an area including any incompatibilities

8. Exposure controls/pe	rsonal protection		
Occupational exposure limits US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value			
distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	100 mg/m3	
US. Workplace Environmo Components	ental Exposure Level (WEEL) Guides Type	Value	
d-limonene (CAS 5989-27-5)	TWA	165.5 mg/m3	
		30 ppm	
Biological limit values	No biological exposure limits noted t	for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.		
Individual protection measure Eye/face protection	s, such as personal protective equipr Wear safety glasses with side shield		
Skin protection Hand protection	Wear protective gloves such as: Nitr	rile. Rubber.	
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.		

9. Physical and chemical properties

Appearance			
Physical state	Liquid.		
Form	Liquid.		
Color	Clear. Colorless.		
Odor	Citrus.		
Odor threshold	Not available.		
рН	Not available.		
Melting point/freezing point	-139.9 °F (-95.5 °C) estimated		
Initial boiling point and boiling range	300 °F (148.9 °C) estimated		
Flash point	100 °F (37.8 °C) Tag Closed Cup		
Evaporation rate	Fast.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp	Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	0.6 % estimated		
Flammability limit - upper (%)	6 % estimated		
Vapor pressure	2 hPa estimated		
Vapor density	> 1 (air = 1)		

Relative density	0.82
Solubility(ies)	
Solubility (water)	Negligible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	428 °F (220 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.	Causes serious eye irritation.	
Ingestion	Droplets of the product aspira chemical pneumonia.	ted into the lungs through ingestion or vomiting may cause a serious	
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis. May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	May be fatal if swallowed and	enters airways.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
beta-myrcene (CAS 123-35-3) d-limonene (CAS 5989-27-5) naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)		2B Possibly carcinogenic to humans.3 Not classifiable as to carcinogenicity to humans.3 Not classifiable as to carcinogenicity to humans.	
	d Substances (29 CFR 1910.1	001-1053)	
Not listed.	ogram (NTP) Report on Carcir	onens	
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause drowsiness and d		

Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.	
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	
12. Ecological information		
Ecotoxicity	Very toxic to aquatic life with long lasting effects.	

Components		Species	Test Results	
· · · · · · · · · · · · · · · · · · ·	reated light (CAG	•		
distillates (petroleum), hydrot	reated light (CAS	5 04742-47-0)		
Aquatic Acute				
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 1000 mg/l, 96 hours	
d-limonene (CAS 5989-27-5)				
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours	
Acute		· · · · /		
Crustacea	EC50	Water flea (Daphnia magna)	0.421 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours	
turpentine (CAS 9005-90-7)			-	
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	10 - 100 mg/l, 48 hours	
rsistence and degradability	No data is ava	ailable on the degradability of any ingredier	nts in the mixture.	
paccumulative potential				
Partition coefficient n-octar	nol / water (log	Kow)		
beta-myrcene		4.17		
d-limonene	No data avail	4.232		
obility in soil		No data available. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
her adverse effects				
3. Disposal consideratio	ons			
sposal instructions	If discarded, this product is considered a RCRA ignitable waste, D001. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.			
zardous waste code		Flammable material with a flash point <140		
ntaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.			

14. Transport information


DOT
Road

Not regulated as dangerous goods by ground.

DOT	
Air	
UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (d-limonene, petroleum distillates), Limited Quantity
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3

	Packing group Special precautions for user	III Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	B1, B52, IB3, T4, TP1, TP29
	Packaging exceptions	150
	Packaging non bulk	203
	Packaging bulk	242
DOT	r	
Mar	itime	
	UN number	UN1993
	UN proper shipping name	Flammable liquids, n.o.s. (d-limonene, petroleum distillates), Limited Quantity
	Transport hazard class(es)	
	Class	3
	Subsidiary risk	-
	Label(s)	3
	Packing group	III
		Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	B1, B52, IB3, T4, TP1, TP29
	Packaging exceptions	150
	Packaging non bulk	203
	Packaging bulk	242
IAT/	A	
	UN number	UN1993
	UN proper shipping name	Flammable liquids, n.o.s. (d-limonene, petroleum distillates)
	Transport hazard class(es)	
	Class	3
	Subsidiary risk	-
	Packing group	
	ERG Code	3L
		Read safety instructions, SDS and emergency procedures before handling.
	Other information	
	Passenger and cargo aircraft	Allowed with restrictions.
	Cargo aircraft only	Allowed with restrictions.
IMD	G	
	UN number	UN1993
	UN proper shipping name	Flammable liquids, n.o.s. (d-limonene, petroleum distillates), Limited Quantity
	Transport hazard class(es)	
	Class	3
	Subsidiary risk	-
	Packing group	III
	Environmental hazards	
	Marine pollutant	Yes, but exempt from the regulations.
	EmS	F-E, <u>S-E</u>
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
DOT	Air; DOT Maritime; IMDG	

DOT Air; DOT Maritime; IMDG





15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)			
Not regulated.			
SARA 304 Emergency	release notification		
Not regulated.			
	ulated Substances (29 CFR 1910.1001-1053)		
	Not listed. CEPCLA Hazardous Substance List (40 CEP 302.4)		
	CERCLA Hazardous Substance List (40 CFR 302.4) turpentine (CAS 9005-90-7)		
	ibstances: Reportable quantity		
turpentine (CAS 900			
	g in the loss of any ingredient at or above its RQ require immediate notification to the National 24-8802) and to your Local Emergency Planning Committee.		
Other federal regulations			
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Sectior	n 112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated.			
Safe Drinking Water Act (SDWA)	Contains component(s) regulated under the Safe Drinking Water Act.		
Food and Drug Administration (FDA)	Not regulated.		
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)		
Classified hazard	Flammable (gases, aerosols, liquids, or solids)		
categories	Skin corrosion or irritation Serious eye damage or eye irritation		
	Respiratory or skin sensitization		
	Carcinogenicity Specific target organ toxicity (single or repeated exposure)		
	Aspiration hazard		
	Hazard not otherwise classified (HNOC)		
SARA 302 Extremely hazar	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Not regulated.			
US state regulations			
-	I Community Right-to-Know Act		
Not listed.			
US. Massachusetts RTK - Substance List			
Not listed.			
US. Pennsylvania Worker and Community Right-to-Know Law			
distillates (petroleum), hydrotreated light (CAS 64742-47-8)			

naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

turpentine (CAS 9005-90-7)

US. Rhode Island RTK

distillates (petroleum), hydrotreated light (CAS 64742-47-8)

California Proposition 65



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

California Proposition	65 - CRT: Listed date/Carcinog	genic substance	
	benzene (CAS 71-43-2)		
beta-myrcene (CAS 123-35-3)		Listed: March 27, 2015 Listed: June 11, 2004	
•	ethylbenzene (CAS 100-41-4)		
	naphthalene (CAS 91-20-3) California Proposition 65 - CRT: Listed date/Developm		
benzene (CAS 71-4	-	Listed: December 26, 1997	
toluene (CAS 108-8		Listed: January 1, 1991	
	65 - CRT: Listed date/Male rep	productive toxin	
benzene (CAS 71-4	,	Listed: December 26, 1997	
US. California. Candida subd. (a))	te Chemicals List. Safer Cons	sumer Products Regulations (Cal. Coo	de Regs, tit. 22, 69502.3,
beta-myrcene (CAS			
	n), hydrotreated light (CAS 6474	,	
,	, hydrotreated heavy (CAS 6474	42-40-9)	
Volatile organic compounds (Vo EPA	JC) regulations		
VOC content (40 CFR 51.100(s))	100 %		
Consumer products (40 CFR 59, Subpt. C)	Not regulated		
State			
Consumer products	This product is not for retail s	ale. It is for use in the manufacturing pro	ocess only.
VOC content (CA)	100 %		
VOC content (OTC)	100 %		
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Chem	ical Substances (AICS)	Yes
Canada	Domestic Substances List (D	SL)	Yes
Canada	Non-Domestic Substances Li	st (NDSL)	No
China	Inventory of Existing Chemica	al Substances in China (IECSC)	Yes
Europe	European Inventory of Existir Substances (EINECS)	ng Commercial Chemical	Yes
Europe	European List of Notified Che	emical Substances (ELINCS)	No
Japan	Inventory of Existing and Nev	v Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory		Yes
Philippines	Philippine Inventory of Chemi (PICCS)	icals and Chemical Substances	Yes
Taiwan	Taiwan Chemical Substance	Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Ac	t (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product comply with th	e inventory requirements administered by the	e governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-02-2020
Prepared by	Allison Yoon
Version #	01

Further information	CRC # 598B/1002631
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	Hazard(s) identification: GHS Symbols Composition / Information on Ingredients: Component Summary Ecological Information: Ecotoxicity Transport Information: Material Transportation Information GHS: Classification